

Serial No. 10/829,162  
Docket No. K06-169665M/TBS

2

RECEIVED  
CENTRAL FAX CENTER  
NOV 06 2006

AMENDMENTS TO THE CLAIMS:

Please amend the claims as follows:

1. (Currently Amended) A bearing part comprising damping steel that comprises:  
from 0.2% to 0.6 % by weight of C;  
~~from 5.0% to at least 5.0% and less than 10.0%~~ by weight of Cr;  
from 0.2% to 1.3 % by weight of Si;  
from 0.09% to 0.15% by weight of N; and  
Fe and impurities,  
wherein the damping steel is heated for austenization, cooled in oil, treated for  
subzero cooling, and tempered.
2. (Previously Presented) The bearing part according to claim 1, wherein the damping  
steel is hardened to comprise a surface hardness, in terms of Rockwell C hardness, of at least  
57.
- 3-5. (Canceled)

OK  
to  
enter

Entered  
W/CE  
dtd  
12/7/06